

Application/Control No.	Applicant(s)/Patent under Reexamination
10/700,432	WU, DANIEL P.H.
Examiner	Art Unit
Drew J. Brown	3616

		,			15	SSUE C	LASSIF	ICAT	ION		_					
ORIGINAL						CROSS REFERENCE(S)										
CLASS SUBCLASS					CLASS	SUBCLASS (ONE SUBCLASS PER BLOCK)										
	280 86.1				280	124,128										
INTERNATIONAL CLASSIFICATION					280	250.1										
В	6	0	В	33/00							-					
				1												
				1							_					
				1												
				1												
Drew Brown 1/23/06 (Assistant Examiner) (Date) Wegal Instruments Examiner) (Date)							VIO R. DUI	MM	Total Claims Allowed: 4							
					MA	0 0	ARY EXAM		O.0 Print Cl	O.G. Print Fig.						
					Date)	(Pri	mary Examiner)	1	3						

\boxtimes	Claims renumbered in the same order as presented by applicant									□СРА		☐ T.D.		☐ R.1.47					
Final	Original		Final	Original		Final	Original		Final	Original		Final	Original		Final	Original		Final	Original
	1			31			61]		91			121			151			181
	2]		32			62			92			122			152			182
	3			33			63			93			123			153			183
	4			34			64]		94			124			154			184
	5			35			65			95			125			155			185
	6			36			66]		96			126			156			186
	7]		37	į		67			97			127	i		157			187
	8]		38			68	1		98			128			158			188
	9	1		39		-	69	Ì		99			129			159			189
	10			40			70	1		100			130			160			190
	11	1		41			71	1		101			131			161			191
	12			42			72	}		102			132			162			192
	13			43			73	1		103			133			163			193
	14			44			74	1		104			134			164			194
	15			45				1		105			135			165			195
	16			46			75 76	1	\	106			136			166			196
	17			47			77			107			137	70		167			197
	18			48			78			108	119		138	No. 1		168			198
	19			49			79	ĺ		109			139			169			199
	20			50			80			110			140			170			200
	21			51		ľ,	81			111			141			171			201
	22			52			82	Ì		112			142			172			202
	23	1		53			83			113			143			173			203
	24			54			84			114			144			174			204
	25			55			85			115			145			175			205
	26]		56			86			116			146			176			206
	27			57			87			117			147			177			207
	28			58			88			118			148			178			208
	29			59			89			119			149			179			209
	30			60			90			120			150			180			210